




Metso.com Investors Careers Feedback Search

HOME | ABOUT US | NEWS & INFO | PROCESSES | SERVICES | PRODUCT VAULT | CONTACT US

Woodhandling Fiberline Mechanical pulping Recycled fiber Pulp drying Water management Chemical management  
Stock preparation Papermaking Boardmaking Tissue making Nonwovens Press room roll handling

- Pulping
- Screening and fractionation
- Washing and thickening
- Flotation
- Dispersion and refining
- Bleaching
- Chemical handling
- Water management

Dispersion and refining Heating alternatives Refining



### Dispersion and refining

Modern dispersion treatment aims at improving the end-product quality, appearance and printability through the disintegration of ink and other contaminants. The increase in pulp strength and the reconditioning of old, recycled fibers can upgrade pulp for more demanding applications.

The advanced OptiFiber dispersion line concept is applicable for all recycled fibers. The heart of the process is the OptiFiber Disperser equipped with large conical fillings. For thickening and dewatering, Metso Paper can offer alternative solutions to meet the demands of the process solution.

- Print
- Bookmark
- Font size

CONTACT US  
stock.preparation@metso.com

- RELATED LINKS
- Refiner segments and fillings
  - RefinerBoost
  - OptiFiber Dispersion
  - OptiFiber Refining

Back Top

Sitemap About this site Legal notice Copyright 2006 Metso Paper, Inc.


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

Metso Optimizer

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 11 - 20 of about 366 for **Metso Optimizer**. (0.13 seconds)
[CPN\\_NewsCenter\\_Guangxi Jindaxing selects Metso Paper to supply ...](#)

Guangxi Jindaxing Paper Industry Co., Ltd. has selected **Metso** Paper to supply a ...  
 Hedemora VDF disc filters, an **OptiFiber** dispersion system, an OptiBright ...  
[www.chinapacknet.com/packnews/newscenter/200431184237.htm](http://www.chinapacknet.com/packnews/newscenter/200431184237.htm) - 8k - Supplemental  
 Result - [Cached](#) - [Similar pages](#)

[Metso de-inking line to Guangxi Jingdaxing Metso de-inking line to ...](#)

Guangxi Jingdaxing Paper Industry Co., Ltd., has selected **Metso** Paper to supply ...  
 Hedemora VDF disc filters, an **OptiFiber** dispersion system, an OptiBright ...  
[www.paperandprint.com/archive/pmd/2004/03/372.html](http://www.paperandprint.com/archive/pmd/2004/03/372.html) - 14k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

[Metso Paper major rebuild for Gaspésia Papers Metso Paper major ...](#)

**Metso** Paper will supply Gaspésia Papers, Limited Partnership with a major ... paper  
 machine and broke screening systems using the latest **OptiFiber** and ...  
[www.paperandprint.com/archive/pmd/2002/08/4112.html](http://www.paperandprint.com/archive/pmd/2002/08/4112.html) - 16k - Supplemental Result -  
[Cached](#) - [Similar pages](#)  
 [ [More results from www.paperandprint.com](http://www.paperandprint.com) ]

[View Previous Newsletters](#)

Korea's Shinmoorim Paper starts up **Metso**'s 2000th **OptiFiber**. Australian PaperlinX profit  
 slides, but shares gain. AP Paper Mills plans Rs 554cr expansion. ...  
[www.chemicalhouse.com:8080/nl\\_new/jsp/viewcategoryissue.jsp?categoryId=38](http://www.chemicalhouse.com:8080/nl_new/jsp/viewcategoryissue.jsp?categoryId=38) - 63k -  
[Cached](#) - [Similar pages](#)

[Paperloop.com - News•Analysis•Prices•Forecasts•Data•Events ...](#)

As well as the paper machine , **Metso** also supplied a new DIP plant as part of the ...  
 thickening , **OptiFiber** dispersion , OptiBright high - consistency ...  
[www.paperloop.com/db\\_area/archive/ppi\\_mag/2004/04/03.html](http://www.paperloop.com/db_area/archive/ppi_mag/2004/04/03.html) - 35k - Supplemental  
 Result - [Cached](#) - [Similar pages](#)

[Paperloop.com - leading the pulp, paper, packaging and printing ...](#)

**Metso** Paper received the order for the LWC line in December 2001 . ... OptiScreen coarse  
 screening and **OptiFiber** refining followed by Kajaani KSF freeness ...  
[www.paperloop.com/db\\_area/archive/pponews/2003/wk07\\_14\\_2003/86.html](http://www.paperloop.com/db_area/archive/pponews/2003/wk07_14_2003/86.html) - 23k -  
 Supplemental Result - [Cached](#) - [Similar pages](#)  
 [ [More results from www.paperloop.com](http://www.paperloop.com) ]

[News document Metso Automation All news All Metso's news News ...](#)

**Metso** Paper will supply Gaspésia Papers, Limited Partnership with a major ... systems  
 using the latest **OptiFiber** and OptiScreen technology is included. ...  
[www.metsoautomation.com/News/news.nsf/Web2NewsDoc?OpenForm&](http://www.metsoautomation.com/News/news.nsf/Web2NewsDoc?OpenForm&ch=ChMetsoAutomationWebEng&id=5F88F8DE...)  
[ch=ChMetsoAutomationWebEng&id=5F88F8DE...](http://www.metsoautomation.com/News/news.nsf/Web2NewsDoc?OpenForm&ch=ChMetsoAutomationWebEng&id=5F88F8DE...) - 18k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

[\[PDF\] FiberPaper 104\\_1.indd Page 1 Fiber&Paper Volume 6, Issue 1, 2004 4 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 In addition, **Metso**'s delivery to Yueyang Paper included a deinking ... built around  
**OptiFiber** low-consistency refiners and ...  
[www.metsoautomation.com/.../1c02bcce375ee773c22570f10030ae80/\\$FILE/104%](http://www.metsoautomation.com/.../1c02bcce375ee773c22570f10030ae80/$FILE/104%20Yueyang%20Paper_FINAL.pdf)  
[20Yueyang%20Paper\\_FINAL.pdf](http://www.metsoautomation.com/.../1c02bcce375ee773c22570f10030ae80/$FILE/104%20Yueyang%20Paper_FINAL.pdf) - Supplemental Result - [Similar pages](#)  
 [ [More results from www.metsoautomation.com](http://www.metsoautomation.com) ]

[Pulp & Paper: World's largest testliner, medium machine makes ...](#)

Palm contracted **Metso** Paper to supply the No . 6 paper machine . ... a HI - Preheater , and  
 the world's - biggest **OptiFiber** conical disperger . ...  
[www.findarticles.com/p/articles/mi\\_qa3636/is\\_200309/ai\\_n9297337](http://www.findarticles.com/p/articles/mi_qa3636/is_200309/ai_n9297337) - 30k - Supplemental


Result - [Cached](#) - [Similar pages](#)

### Dispersion and refining Pulping Screening and fractionation ...

The heart of the process is the **OptiFiner** Disperger equipped with large conical fillings. For thickening and dewatering, **Metso Paper** can offer alternative ...

[www.metsocovers.com/paper/MPwFiber.nsf/ WebWID/WTB-041124-2256F-E8F8A](http://www.metsocovers.com/paper/MPwFiber.nsf/WebWID/WTB-041124-2256F-E8F8A) - 9k -

Supplemental Result - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

## OptiFiner™ Dispersion for Recycled Fibers

Modern dispersion treatment offers several benefits for production of paper and board based on recycled fiber. Although the main focus is still on the improvement of the end-product quality, appearance and printability through the dispersion of ink and other contaminants, there are additional benefits. The increase in pulp strength and reconditioning of old, recycled fibers can upgrade pulp for more demanding applications than previously.

Efficient dispersion improves paper and board machine runnability, due to a stronger web resulting from increased fiber bonding, improved

fiber formation for homogeneous pulp and a clean, sticky-free machine. The high temperature in dispersion also reduces bacteria content in the pulp, resulting in improved end-product hygiene and less microorganism problems in mill water circulation.

Accordingly, modern dispersion processes ensure the desired high level of cleanliness and improve strength and optimal uniformity of all end-product grades.

### The key elements of OptiFiner Dispersion

Metro Paper offers an advanced dispersion line concept applicable for all recycled fiber applications. The line includes innovative developments as well as the application of proven technologies. Metro's expertise within recycling processes provides the foundation for the development of the process and key equipment combinations.

The heart of the dispersion process is the OptiFiner Disperser. The processing of pulp and dispersion of contaminants is performed in the unique conical disperser based on the technology applied in the proven Metro Paper's homogenizing conical refiner. The dispersion system is compact, easy to install and offers a wide range of processing rates. Pressurized operation offers advantages to ink and sticky dispersion in certain grades.

Tailored pulp heating with the Hi-Heater or the CT-Heater ensures uniform and rapid heating of pulp for different disintegration rates. The high temperature also ensures smooth pulp flow as the heater prevents pressure and steam losses.



### Design features and advantages of the conical OptiFiner Disperser

- Atmospheric and pressurized operation
- Low- and high-conveyance roller designs
- Conical fillings in accordance with application
- Equipped for bleaching
- Reliable and proven machine design
- Conical form provides for large processing area and extended treatment time

- Large conical area means a high number of teeth for processing, resulting in a higher number of impacts for each pulp contaminant, ensuring high dispersion efficiency

Conical form pushes fibers against the rotor filling, resulting in intensive contact between the fibers.

The friction between fibers causes the most of the fiber surface to be treated. This ensures the best possible fiber quality. The conical form also ensures the best possible contact between the fiber surface and the rotor filling, resulting in intensive contact between the fibers.

Conical form and dispersion process ensure the best possible fiber quality.

Conical form and dispersion process ensure the best possible fiber quality.

### Hi-Heater - High-intensity heating for highly contaminated furnishes

The Hi-Heater has several unique design features to ensure efficient and economical heating of all pulp, stabilization of the heat to the disperser, in bleaching and in the Hi-Heater with an efficient chemical meter and pre-heater.

#### Key features

- Integrated fueler
- Special shaft design
- High rotation speed
- Atmospheric and pressurized operation


### CT-Heater - Vertical heating for less demanding contaminants

CT-Heater is designed for light but efficient heating of pulp. CT-Heater provides low investment cost along with compact size and low operating cost.

#### Key features

- Compact design
- Steamjet fueler
- No moving parts, no wear parts

Metro Paper offers optimized heating concepts for each raw material and application containing different amounts of contaminants, particularly stickies.



### Disperser fillings

The unique OptiFiner Disperser fillings can be optimized for every application and provide a large area for the effective dispersion treatment.

OptiFiner Disperser fillings can be optimized for every application and provide a large area for the effective dispersion treatment.



BEST AVAILABLE COPY

## Benefits to be gained with OptiFiner Dispersion solutions

- High dispersion efficiency for all types of ink
- Excellent treatment of hotmelts, stickies and other contaminants
- Significant improvement of pulp strength and fiber properties
- Variability and efficient mixing for optimal bleaching
- Wide range of treatment intensities, power inputs and temperatures
  - Heating alternatives
  - Filling pattern options
  - Atmospheric/ pressurized operation
- Flexible inlet and outlet designs facilitate easy process link-up for each application



*Metso Paper Technology Center, Anjalankoski, Finland  
offers OptiFiner dispersion for customer trials.*

## Technical Data

OptiFiner Disperger	HI-Heater	CT-Heater	DPL-Plugscrew
OFD-50	HI-0523	CT-309	DPL-210
OFD-100	HI-1050	CT-815	DPL-420
OFD-150	HI-1075	CT-1018	DPL-525
OFD-250	HI-1275	CT-1220	DPL-630

The contaminant dispersion with compatible properties for the fiber processing and bleaching of ONP, OMG, OCC, MOW and mix furnishes.

- Capacity rate ..... 10 – 1000 tpd
- Rated power / Disperger ..... 100 – 3500 kW
- Temperature range ..... 80 – 120°C
- Pressure ..... 0 – 100 kPa
- Discharge consistency ..... 4 – 10 %/30 %

**Metso Paper**  
P.O. Box 125, FIN-37601 Valkeakoski, Finland  
Tel. +358 20 482 170, Fax +358 20 482 171  
[www.metsopaper.com](http://www.metsopaper.com)

